

Custom group centres



CUSTOM GROUP CENTRES



Group electric centres are suitable for use from the smallest apartments to large detached houses. The RKM and RKS electric centres are made from hot galvanised steel plate that has been painted white. The RKP electric centres are made of white plastic. The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in wet spaces. Browse our extensive and diverse selection!

CUSTOM GROUP CENTRES

| SSTL number | Name | Product description | In | Installation |
|-------------|--------------------------------------|------------------------|----|--------------|
| R10018 | RKP12P, Group electric centres | | | |
| R10019 | RKP24, Group electric centres | | | |
| R10021 | RKP36P, Group electric centres | | | |
| R10023 | RKP48P, Group electric centres | | | |
| R10036 | RKM420P/42, Group electric centres | | | |
| R10038 | RKM420U/42, Group electric centres | | | |
| R10040 | RKM560P/63, Group electric centres | | | |
| R10042 | RKM560U/63, Group electric centres | | | |
| R10046 | RKM840P/105, Group electric centres | | | |
| R10048 | RKM840U/105, Group electric centres | | | |
| R10050 | RKM1120P/147, Group electric centres | | | |
| R10051 | RKM1120U/147, Group electric centres | | | |
| R10057 | RKS500U/40, Group electric centres | | | |
| R10061 | RKS580U/42, Group electric centres | | | |
| R10063 | RKS750U/68, Group electric centres | | | |
| R10153 | RKV12, Group electric centres | | | |
| R10154 | RKV24, Group electric centres | | | |
| R10155 | RKV36, Group electric centres | | | |
| R10156 | RKV48, Ryhmäkeskus pinta | Asiakaskohtainen malli | | |

CUSTOM GROUP CENTRES

| SSTL number | Name | Product description | In | Installation |
|-------------|------------------------------------|---------------------|----|--------------|
| R10231 | RKS500P/40, Group electric centres | | | |
| R10232 | RKS750P/68, Group electric centres | | | |
| R10238 | RKS580P/42, Group electric centres | | | |
| R10270 | RKV12, Group electric centres | | | |
| R10271 | RKV12, Group electric centres | | | |
| R10281 | RKS500P/40, Group electric centres | | | |
| R10292 | RKS500P/40, Group electric centres | | | |



Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 481 x 397 |
| Breaker 1-pole B10 | - | Installation | |






Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 480 x 537 |
| Breaker 1-pole B10 | - | Installation | |






Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 481 x 817 |
| Breaker 1-pole B10 | - | Installation | |





Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

Technical details

| | | | |
|--------------------|---------|--------------------|------------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 481 x 1096 |
| Breaker 1-pole B10 | - | Installation | |






Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 237 x 464 |
| Breaker 1-pole B10 | - | Installation | |






Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 352 x 548 |
| Breaker 1-pole B10 | - | Installation | |





Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|-----------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | | 237 x 714 |
| Breaker 1-pole B10 | - | Installation | |





Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |






Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |





Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |



Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |



Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 54 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |



Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |



Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

Technical details

| | | | |
|--------------------|---------|--------------------|---------|
| Ue (V) | 230/400 | Breaker 1-pole C10 | - |
| In (A) | - | Breaker 1-pole B16 | - |
| IP | 20 | Breaker 1-pole C16 | - |
| fn | | Breaker 1-pole C20 | - |
| Icw | <5 kA | Breaker 3-pole C16 | - |
| Material | Ku-Si | | - |
| Main switch (A) | - | | - |
| Breaker 1-pole C6 | - | Installation | Surface |
| Breaker 1-pole B10 | - | | |

